

## COMMERCIAL VACUUMS

- The best solution for home cleaning and light works
- Ergonomic design and great manoeuvrability

### 1 DULEVAC MAGIC 5PD

Vacuum	Dry
Motor	1500 W
Suction	2050 mmwaterlift
Container capacity	5 litres
Noise level	65 dbA



### 2 DULEVAC MAGIC 9PWD

Vacuum	Dry
Motor	1500 W
Suction	2050 mmwaterlift
Container capacity	9 litres
Noise level	65 dbA



### 3 DULEVAC MAGIC 9PWF

Vacuum	Wet and Dry
Motor	1400 W
Suction	2050 mmwaterlift
Container capacity	9 litres
Noise level	65 dbA



### 4 DULEVAC MAGIC 15SWD

Vacuum	Wet and Dry
Motor	1500 W
Suction	2050 mmwaterlift
Container capacity	15 litres
Noise level	67 dbA



### 5 DULEVAC DC 2800

Motor	2000 W
Suction	2080 mmwaterlift
Bag capacity	2 litres
Noise level	60 dbA



### 6 DULEVAC DC 4100

Motor	2000 W
Suction	2080 mmwaterlift
Bag capacity	2 litres
Noise level	60 dbA



## INDUSTRIAL VACUUMS

- The best solution for cleaning middle and big sized areas such as hotel rooms, offices, warehouses and restaurants
- Easy-to-use and long lasting
- Possibility to customise with a wide range of accessories (standard and opt)
- Stability and manoeuvrability

### 7 DULEVAC 6PD

Vacuum	Dry
Motor	Ametek 1100 W
Suction	2800 mmwaterlift
Container capacity	6 litres
Noise level	60 dbA

### 8 DULEVAC 15PD

Vacuum	Dry
Motor	Ametek 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	15 litres
Noise level	65 dbA

### 9 DULEVAC 30P

Vacuum	Wet and Dry
Motor	Ametek 1000 W 2 stages
Suction	2700 mmwaterlift
Container capacity	22 litres
Noise level	70 dbA



7



8



9

### 10 DULEVAC 401P

Vacuum	Wet and Dry
Motor	Ametek 1000 W 2 stages
Suction	2700 mmwaterlift
Container capacity	40 litres
Noise level	70 dbA



10

### 11 DULEVAC 40P

Vacuum	Wet and Dry
Motor	Ametek 1000 W 2 stages
Suction	2700 mmwaterlift
Container capacity	40 litres
Noise level	65 dbA



11

### 12 DULEVAC 80P2

Vacuum	Wet and Dry
Motor	Ametek 2 x 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	60 litres
Noise level	70 dbA



12

### 13 DULEVAC 80P3

Vacuum	Wet and Dry
Motor	Ametek 3 x 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	60 litres
Noise level	80 dbA



13

## INDUSTRIAL VACUUMS

### STAINLESS STEEL CONTAINER - THICKNESS 0,6 CM

- The best for cleaning big, wide surfaces (factories, shopping malls etc.)
- Designed for heavy works
- Wet and Dry suction as standard equipment
- Very powerful

#### 14 DULEVAC 30S

Vacuum	Wet and Dry
Motor	Ametek 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	25 litres
Noise level	65 dbA



#### 15 DULEVAC 401S

Vacuum	Wet and Dry
Motor	Ametek 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	40 litres
Noise level	65 dbA

#### 16 DULEVAC 40S

Vacuum	Wet and Dry
Motor	Ametek 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	40 litres
Noise level	65 dbA



#### 17 DULEVAC 80S2

Vacuum	Wet and Dry
Motor	Ametek 2 x 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	60 litres
Noise level	70 dbA



#### 18 DULEVAC 80S3

Vacuum	Wet and Dry
Motor	Ametek 3 x 1200 W 2 stages
Suction	2700 mmwaterlift
Container capacity	60 litres
Noise level	75 dbA



## INDUSTRIAL VACUUMS

- Injection and extraction as standard
- Fast and easy cleaning of carpets and moquettes

### 19 DULEVAC 30PC

Motor Ametek 1200 W 2 stages  
Suction 2700 mmwaterlift  
Container capacity 12 litres  
Noise level 65 dbA



19



20

### 20 DULEVAC 30SC

Motor Ametek 1200 W 2 stages  
Suction 2700 mmwaterlift  
Container capacity 12 litres  
Noise level 65 dbA

### 21 DULEVAC 40SC

Motor Ametek 1200 W 2 stages  
Suction 2700 mmwaterlift  
Container capacity 27 litres  
Noise level 65 dbA



21

### 22 DULEVAC 80SC

Motor Ametek 2 x 1200 W 2 stages  
Suction 2700 mmwaterlift  
Container capacity 55 litres  
Noise level 70 dbA



22



DULEVO INTERNATIONAL

[www.dulevo.com](http://www.dulevo.com)   [www.dulevo-hydropower.com](http://www.dulevo-hydropower.com)

## PROFESSIONAL SCRUBBER-DRIERS I

Intuitive and easy-to-use, Dulevo scrubbers represent the best solution for cleaning small and congested areas such as supermarkets, schools, warehouses and small factories.

23

### DULEVO H 404

- Aluminium main frame
- Brush head mechanical lifting
- Brush assisted semi-automatic traction
- Solution tank capacity 45 lt.
- Recovery tank capacity 50 lt.
- Drain valve on solution tank
- One PPL brush (included)
- Scrubbing path 450 mm
- Squeegee path 800 mm
- Parking brake
- Use & Maintenance Manual and Spare-parts catalogue included



24

### DULEVO H 507

- Aluminium main frame
- Brush head mechanical lifting
- Solution tank capacity 70 lt.
- Recovery tank capacity 80 lt.
- Drain valve on solution tank
- One PPL brush (included)
- Scrubbing path 500 mm
- Squeegee path 800 mm
- Parking brake
- Max brush pressure Kg 35
- Use & Maintenance Manual and Spare-parts catalogue included



25

### DULEVO H 557

- Aluminium main frame
- Brush head mechanical lifting
- Solution tank capacity 70 lt.
- Recovery tank capacity 80 lt.
- Drain valve on solution tank
- Traction maximum power 200 W
- Voltage 24 V
- Vacuum capacity 1250 mm/H<sub>2</sub>O
- Vacuum motor/power n°/W 1/480
- Parking brake
- Use & Maintenance Manual and Spare-parts catalogue included



## SWEEPERS

The most efficient collecting system: debris are thrown to the center of the machine and then lifted by the central brush and conveyed inside the hopper. Thanks to its special configuration, the brush perfectly adheres to every kind of surface without needing any particular regulation. They can also be used for cleaning moquettes.

26

### DULEVO SPRINT 700

- Forward mechanical traction
- Sweeping system made up of:
  - central cylindrical brush (sweeping width 520 mm)
  - right side brush (sweeping width 700 mm)
- Suction system made up of:
  - Suction turbine
  - Filtering surface 1,5m<sup>2</sup>
  - Mechanical filter shaker
  - Suction shut off
- Handlebar with dashboard equipped with ignition key, traction control lever, side brush control lever
- Waste hopper volume 40 lt.
- Tools, Use & Maintenance manual and Spare-parts catalogue



27

### DULEVO SPRINT 900

- Forward mechanical traction
- Sweeping system made up of:
  - central cylindrical brush (sweeping width 700 mm)
  - right side brush (sweeping width 900 mm)
- Suction system made up of:
  - Suction turbine
  - Filtering surface 1,5m<sup>2</sup>
  - Mechanical filter shaker
  - Suction shut off
- Handlebar with dashboard equipped with ignition key, traction control lever, side brush control lever
- Waste hopper volume 60 lt.
- Tools, Use & Maintenance manual and Spare-parts catalogue





VACUUMS | SCRUBBERS | SWEEPERS

A complete cleaning range  
for any kind of need!

